

Convenio

# Technical

description

# Technical description

## 1. Conference mobile table

### 1. Conference mobile table

#### 1.1. Table top

**Foldable rectangular table tops** – made of:

- melamine faced chipboard (MFC), thickness 25 mm, with 2 mm edge in glue technology as standard, or laser edge as an option, with rectangular shape. Table tops are available in several dimensions,
- Fenix NTM – upper part of chipboard covered with Fenix NTM laminate, bottom part covered with anti-resilient laminate in gray colour, thickness 25 mm, 1 mm laser edge in the same colour as table top.

#### 1.2. Base

**Oval legs** – made of steel profile 80 × 30 mm rounded at 15 mm radius.

**Beam** – made of steel tube Ø 40 mm, connected with legs. Supporting beams – made of steel profile 50 × 30 mm fixed to table top, with black plastic caps. Additional beam with lock and unlock function is connected with supporting beams.

Finish options: powder-coated in Traffic white (RAL 9016), Jet black (RAL 9005), White aluminium (RAL 9006), Slate grey (RAL 7015). Fixed height 730 mm as standard.


Four Ø 60 mm castors, two equipped with brakes.

### 1.3. Product range

#### Base



Rectangular



## 2. Plastic connectors

In order to link two table tops it is required to use:

- minimum 1 set (2 pcs) of connectors to link table tops by depth,
- minimum 2 sets (4 pcs) of connectors to link table tops by width.

## 3. Technical regulations, certificates and quality marks (for selected product configurations)

GS safety certificate,  
Blue Angel.